



UNIWERSALNY KONCENTRAT CZYSZCZĄCY I ODTŁUSZCZAJĄCY

Xtreme Clean™ to uniwersalny, rozpuszczalny w wodzie, niepalny, silnie działający koncentrat czyszczący i odtłuszczający przeznaczony do wszelkiego rodzaju zadań. Xtreme Clean to skuteczny sposób na utrzymanie sprzętu w idealnej czystości!

Xtreme Clean jest skuteczny i bezpieczny w użyciu na większości powierzchni lakierowanych i metalowych, kamieniu i betonie, izolacji elektrycznej, gumie i tworzywach sztucznych.

- Silny środek czyszczący i odtłuszczający
- Skoncentrowana moc czyszcząca; rozcieńcza się do 60 części wody w celu czyszczenia i odtłuszczania
- Rozkłada tłuszcze, białka, lipidy i niszczy środowisko mikrobiologiczne
- Usuwa ślady po owadach, ptasie odchody, soki drzewne, smołę drogową oraz ogólne zabrudzenia i brud
- Doskonale sprawdza się na materiałach stosowanych w łodziach, takich jak włókno szklane / żelkot, lakierowane drewno, stal nierdzewna, aluminium, farby morskie i włókno węglowe
- Idealny środek czyszczący do usuwania starego wosku z lakieru pojazdu przed zabiegiem RejeX
- Szybko rozkłada nagar, tłuszcze i sadzę spalinową
- Usuwa zabrudzenia domowe, przemysłowe i uporczywe zabrudzenia drogowe
- Rozjaśnia lakier
- Neutralizuje kwasy
- Stosować przed dezynfekcją zgodnie z tymczasowymi wytycznymi Centrum Kontroli i Zapobiegania Chorobom (CDC) dotyczącymi koronawirusa (COVID-19)

Doskonały do:

- Czyszczenia parowego
- Czarnych smug
- Mycia ciśnieniowego
- Pyłu hamulcowego
- Tłuszczu i oleju
- Mycia ciężarówek
- Sady spalinowej
- Sprzętu przemysłowego



ALL-PURPOSE CLEANER CONCENTRATE & DEGREASER

DESCRIPTION

A water-soluble, nonflammable, heavy-duty cleaning concentrate for jobs of all kinds. Xtreme Clean is effective for use on all painted surfaces, decals, most metals, stone and concrete, electrical insulation and plastic surfaces.

GREAT FOR

- Steam Cleaning • Black Streaks • Brake Dust
- Pressure Washing • Tool & Implement Cleaning
- Grease & Oil • Truck Wash • Exhaust Soot



XTREME CLEAN HIGHLIGHTS

- A powerful cleaner and degreaser that's compatible with most surfaces
- Effective for use on exotic materials such as carbon fiber, etc.
- Quickly breaks down carbon residues and exhaust soot
- Cuts through tough road and industrial grime
- Brightens paint
- Neutralizes acids

DIRECTIONS

NOTE: 1. Store in original container. 2. Keep sealed when not in use. 3. Pretest in an inconspicuous area prior to using on painted surfaces and polished or anodized aluminum surfaces. 4. Do not allow to dry on glass surfaces.

General Cleaning: Dilute 1 part Xtreme Clean with up to 20 parts water depending on the application. Can also be used full strength for carbon, heavy grease and stubborn soils. Apply with a sponge, rag, brush or sprayer. Rinse and let dry.

Steam Cleaning: Dilute 1 part Xtreme Clean with up to 60 parts water depending on the application. Heavier deposits may require a lower dilution ratio.

Keep from freezing. Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.



WARNING: CAUSES SKIN AND EYE IRRITATION. HARMFUL IF INHALED OR SWALLOWED. MAY CAUSE RESPIRATORY IRRITATION. KEEP OUT OF REACH OF CHILDREN.

Contains 2-butoxyethanol and sodium metasilicate. Wear protective gloves. Wash thoroughly after handling. Avoid breathing vapors, spray or mist. Use only outdoors or in a well-ventilated area. Take off contaminated clothing and wash it before reuse. Dispose of contents and container in accordance with applicable regulations.

FIRST AID: If on skin: Wash with plenty of water. If skin irritation occurs: get medical attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. If swallowed: Rinse mouth. Call a doctor if you feel unwell.

See the Safety Data Sheet for additional information.

EMERGENCY TELEPHONE

USA CHEMTREC® (800) 424-9300 | Outside US +1 (703) 527-3887

NET CONTENTS:

Part Number	Size
24005	5 gallons / 18.93 liters
24002	30 gallons / 113.56 liters
24001	55 gallons / 208.20 liters
24001-275	275 gallons / 1040 liters
24001-330	330 gallons / 1249 liters



U. S. CORROSION TECHNOLOGIES, LLC
2638 National Drive • Garland, TX 75041
800.638.7361 • FAX 972.278.9721
www.corrosionx.com

Made in the USA

© 2016 U.S. Corrosion Technologies, LLC • 1M608

